


VETRON 5000 // 5010

Direct-drive 1-needle lockstitch sewing machine with triple transport



Field of applications



Automotive



Upholstery



Home textile



Bags



Suit




High tech as standard

Through the consistent use of state of the art electronic control it became possible to make all



operators influence and identical every time the program is recalled. The innovative dynamic machine parameter, based on the actual speed and the permanent measurement of the material thickness, open new possibilities of production quality, process security and the reduction of cycle times.



More VETRON technology information

Features & Technical data

5000 // 5010

- » Very high stitch quality for top-stitching work in the visible areas and for assembly seams
- » Stitch type 301
- » Selective with big vertical hook (bobbin diameter 26 mm) or extra large hook (bobbin diameter 32 mm)
- » Large clearance under the machine arm (350 x 130 mm)
- » Max. stitch length 12 mm
- » Max. top-feed-stroke 9 mm
- » Max. clearance under the sewing feet 20 mm
- » Automatic top-feed-stroke adjustment
- » Controlled needle thread tension



VETRON 5000 // 5010

[Portfolio](#)
[News](#)
[Application Center](#)
[Service & Support](#)
[Sales Partner](#)
[Company](#)

DE EN

- » Automatic thread cutter for threads up to 10/3; thread ends ~13 mm
- » Integrated LED sewing light
- » No compressed air
- » Electronic programmable intermitted puller transport (option)
- » Optionally with moving binder for perfect binding operations


Max. sewing speed

VE 5000 - 4.000* spm
VE 5010 - 3.400* spm


Max. stitch length

12 mm


Transport types

Triple Transport


Needle system

134-35


Needle size

90-180** Nm


Max. thread thickness

10/3**


Needle stroke

40 mm


Thread trimmer

13 mm


Clearance under sewing foot

20 mm

* Depending on process

** Depending on version

[Portfolio](#)
[News](#)
[Application Center](#)
[Service & Support](#)
[Sales Partner](#)
[Company](#)
[DE EN](#)


Simple operation - easy to remove

The control panel concept P107 is one of the new generations of control panels. It guarantees easy operation with simple navigation.

In the automotive production is this operating concept ideally suited for setting the sewing parameters and sewing programs / sequences. The control panel is simply removed after setting - the operator can no longer intervene in the sewing parameters.

More ease of use is impossible

Every operating element in the direct handle area





Forward/backward slider

Always fit to the application

Gauge part sets and accessories

As a supplement to the sewing machine series, VETRON also offers standard sewing accessories & tools.

In addition, the manufacture of special accessories is possible according to individual customer requirements.



All informations in one place!

Direct download

Here you can find all information about the machines in one place!
Are you looking for the right operating or programming instructions?

With the direct download you have access to all information. Would you like to see the



[Portfolio](#) [News](#) [Application Center](#) [Service & Support](#) [Sales Partner](#) [Company](#) [DE](#) [EN](#)



Login
Sign up



Technical documents



General catalog




Gauge part sets

Contact


VETRON TYPICAL Europe GmbH
Clara-Immerwahr-Str. 6
67661 Kaiserslautern / Germany


info@vetrontypical.com

Call us

+49 6301 / 320 75 - 0
 +49 6301 / 320 75 - 11

You'll find us here

 Calculate route

 Download
Map & Directions

GPS 49.477803
7.68425


Social Media



Certificate



Login

 Register to have full access to all VETRON technical documents

Login/Sign up